

Please amend the following claims:

Please cancel claims 25, 28, and 30-37. ✓

Please amend the following claims:

- has not been entered 3/14/03 8/
- 09763497-11301
1. (Amended) A composition comprising:
an acid-labile 2'-deoxyadenosine analog which chemically decomposes in an acidic environment of the stomach; and
[one or more components] an agent which inhibits the 2'-deoxyadenosine analog from decomposing in the acidic environment of the stomach by [isolating the 2'-deoxyadenosine analog from the acidic environment of] reducing acid concentration in the stomach;
wherein the composition is suitable to be administered orally to a patient.
2. (Amended) The composition according to claim 1 wherein the 2'-deoxyadenosine analog is pentostatin or cladribine.
3. (Amended) The composition according to claim [1] 43, wherein the one or more components of the composition form an erodible matrix.
4. (Amended) The composition according to claim [1] 43, wherein the one or more components of the composition include an enteric coating.
8. (Amended) The composition according to claim [1] 43, wherein the one or more components of the composition include an ion exchange resin that forms a complex with the 2'-deoxyadenosine analog.
9. (Amended) The composition according to claim [1] 43, wherein the one or more components of the composition include [injectable] micro spheres.
11. (Amended) A method for treating a patient comprising:

orally administering to the patient a pharmaceutically-effective amount of a composition which is adapted for oral administration and comprises[:]

a 2'-deoxyadenosine analog which chemically decomposes in an acidic environment of the stomach, and

[one or more components] an agent which inhibits the [2'-deoxy adenosine] 2'-deoxyadenosine analog from decomposing in the acidic environment of the stomach by [isolating the adenosine analog from the acidic environment of] reducing acid concentration in the stomach.

12. (Amended) The method according to claim 11 wherein the 2' deoxyadenosine analog is pentostatin or cladribine.

13. (Amended) The method according to claim [11] 49, wherein the one or more components of the composition form an erodible matrix.

14. (Amended) The method according to claim [11] 49, wherein the one or more components of the composition include an enteric coating.

18. (Amended) The method according to claim [11] 49, wherein the one or more components of the composition comprise an ion exchange resin that forms a complex with the 2'-deoxyadenosine analog.

19. (Amended) The method according to claim [11] 49, wherein the one or more components of the composition comprise [injectable] micro spheres.

21. (Amended) The method according to claim 11 wherein the patient has a disease selected from the group consisting of hematological malignancies, solid tumors sensitive to 2'-deoxyadenosine analogs or adenosine deaminase inhibitors, and autoimmune diseases mediated by adenosine or adenosine deaminase.

24. (Amended) [A method for treating a patient comprising:
orally administering in a controlled-release mechanism to the patient a

composition which is adapted for oral administration and comprises:

a 2'-deoxyadenosine analog which chemically decomposes in an acidic environment of the stomach, and

one or more components of the composition which inhibit the 2'-deoxyadenosine analog from decomposing in the acidic environment of the stomach by isolating the 2'-deoxyadenosine analog from the acidic environment of the stomach.]

The method of claim 11, wherein the orally administering the composition to the patient includes orally administering the composition in a controlled release mechanism.

Please add the following new claims:

38. (New) The composition of claim 1, wherein the agent is an H2 inhibitor.
39. (New) The composition of claim 38, wherein the H2 inhibitor is cimetidine.
40. (New) The composition of claim 1, wherein the agent is an acid neutralizer.
41. (New) The composition of claim 40, wherein the acid neutralizer is calcium carbonate.
42. (New) The composition of claim 1, wherein the agent is a proton pump inhibitor.
43. (New) The composition of claim 1, further comprising one or more components of the composition which inhibit the 2'-deoxy adenosine analog from decomposing in the acidic environment of the stomach by isolating the 2'-deoxy adenosine analog from the acidic environment of the stomach.
44. (New) The method of claim 11, wherein the agent is an H2 inhibitor.
45. (New) The method of claim 44, wherein the H2 inhibitor is cimetidine.

46. (New) The method of claim 11, wherein the agent is an acid neutralizer.
47. (New) The method of claim 46, wherein the acid neutralizer is calcium carbonate.
48. (New) The method of claim 11, wherein the agent is a proton pump inhibitor.
49. (New) The method of claim 11, further comprising one or more components of the composition which inhibit the 2'-deoxy adenosine analog from decomposing in the acidic environment of the stomach by isolating the 2'-deoxy adenosine analog from the acidic environment of the stomach.
50. (New) A method for treating a patient comprising:
orally administering to the patient a pharmaceutically-effective amount of a 2'-deoxyadenosine analog which chemically decomposes in an acidic environment of the stomach, and
administering an agent which inhibits the 2'-deoxyadenosine analog from decomposing in the acidic environment of the stomach by reducing acid concentration in the stomach.
51. (New) The method of claim 50, wherein the agent is administered prior to the oral administration of the 2'-deoxyadenosine analog.
52. (New) The method of claim 50, wherein the agent is co-administered with the 2'-deoxyadenosine analog.
53. (New) The method according to claim 50, wherein the 2'-deoxyadenosine analog is pentostatin or cladribine.
54. (New) The method of claim 50, wherein the agent is an H2 inhibitor.
55. (New) The method of claim 54, wherein the H2 inhibitor is cimetidine.